



# Basic Life Support & Automated External Defibrillation Course



## OBJECTIVES

- At the end of this course participants should be able to demonstrate:
  - How to assess the collapsed victim.
  - How to perform chest compression and rescue breathing.
  - How to operate an automated external defibrillator safely.
  - How to place an unconscious breathing victim in the recovery position.




## BACKGROUND

- Approximately 700,000 cardiac arrests per year in Europe
- Survival to hospital discharge presently approximately 5-10%
- Bystander CPR vital intervention before arrival of emergency services
- Early resuscitation and prompt defibrillation (within 1-2 minutes) can result in >60% survival



## CHAIN OF SURVIVAL



W H O R E S S I O N S C O M M U N I T Y



**Approach safely**

**Check response**

**Shout for help**

**Open airway**

**Check breathing**

**Call 112**

**30 chest compressions**

**2 rescue breaths**





## ■ ■ ■ **APPROACH SAFELY!**

Scene

Rescuer

Victim

Bystanders

**Approach safely**

**Check response**

**Shout for help**

**Open airway**

**Check breathing**

**Call 112**

**30 chest compressions**

**2 rescue breaths**



## ■ ■ ■ CHECK RESPONSE



Approach safely

**Check response**

Shout for help

Open airway

Check breathing

Call 112

30 chest compressions

2 rescue breaths



## ■ ■ ■ CHECK RESPONSE



Shake shoulders gently

Ask “Are you all right?”

If he responds

- Leave as you find him.
- Find out what is wrong.
- Reassess regularly.





## ■■■ SHOUT FOR HELP



Approach safely

Check response

**Shout for help**

Open airway

Check breathing

Call 112

30 chest compressions

2 rescue breaths



## ■■■ OPEN AIRWAY



**Approach safely**

**Check response**

**Shout for help**

**Open airway**

**Check breathing**

**Call 112**

**30 chest compressions**

**2 rescue breaths**



## ■■■ CHECK BREATHING



Approach safely

Check response

Shout for help

Open airway

**Check breathing**

Call 112

30 chest compressions

2 rescue breaths



## ■ ■ ■ CHECK BREATHING


- Look, listen and feel for NORMAL breathing
- Do not confuse agonal breathing with NORMAL breathing





## ■■■ AGONAL BREATHING

- Occurs shortly after the heart stops in up to 40% of cardiac arrests
- Described as barely, heavy, noisy or gasping breathing
- Recognise as a sign of cardiac arrest



**Approach safely**

**Check response**

**Shout for help**

**Open airway**

**Check breathing**

**Call 112**

**30 chest compressions**

**2 rescue breaths**



## 30 CHEST COMPRESSIONS



Approach safely

Check response

Shout for help

Open airway

Check breathing


Call 112

**30 chest compressions**

2 rescue breaths



## CHEST COMPRESSIONS




- Place the heel of one hand in the centre of the chest
- Place other hand on top
- Interlock fingers
- Compress the chest
  - Rate  $100 \text{ min}^{-1}$
  - Depth 4-5 cm
  - Equal compression : relaxation
- When possible change CPR operator every 2 min





## RESCUE BREATHS



**Approach safely**

**Check response**

**Shout for help**

**Open airway**

**Check breathing**

**Call 112**


**30 chest compressions**

**2 rescue breaths**




## RESCUE BREATHS

- Pinch the nose
- Take a normal breath
- Place lips over mouth
- Blow until the chest rises
- Take about 1 second
- Allow chest to fall
- Repeat






**CONTINUE CPR**



**30**



**2**

© 2015 American Heart Association. All rights reserved. CPR and First Aid courses are provided by the American Heart Association. This material is for informational purposes only. It is not a substitute for professional medical advice. For more information, visit [www.heart.org](http://www.heart.org).



**Approach safely**

**Check response**

**Shout for help**

**Open airway**

**Check breathing**

**Call 112**



**30 chest compressions**

**2 rescue breaths**






# DEFIBRILLATION



o p e a r s u s c i t a t i o n e s



**Approach safely**

**Check response**

**Shout for help**

**Open airway**

**Check breathing**

**Call 112**

**Attach AED**

**Follow voice prompts**



## ■ ■ ■ SWITCH ON AED



- Some AEDs will automatically switch themselves on when the lid is opened






## ATTACH PADS TO CASUALTY'S BARE CHEST



©ERC




©ERC






## ANALYSING RHYTHM DO NOT TOUCH VICTIM



© 2012 American Heart Association



## SHOCK INDICATED




- Stand clear
- Deliver shock



# SHOCK DELIVERED FOLLOW AED INSTRUCTIONS



30



2

© 2015 American Heart Association. All rights reserved. AED, CPR, and First Aid training materials.

© 2015



NO SHOCK ADVISED  
FOLLOW AED INSTRUCTIONS




30



2



IF VICTIM STARTS TO  
BREATHE NORMALLY PLACE  
IN RECOVERY POSITION



©ERC

© 2015 American Heart Association. All rights reserved. No part of this publication may be reproduced without permission in writing from the American Heart Association.





©IRC



©IRC



©IRC



©IRC

C n o ti ci o n i



## ■ ■ ■ CPR IN CHILDREN


- Adult CPR techniques can be used on children
- Compressions 1/3 of the depth of the chest





## ■ ■ ■ AED IN CHILDREN

- Age > 8 years
  - use adult AED
- Age 1-8 years
  - use paediatric pads / settings if available (otherwise use adult mode)
- Age < 1 year
  - use only if manufacturer instructions indicate it is safe



©IRC





# ANY QUESTIONS?

U n i v e r s i t y o f S a s s e r o



**Approach safely**

**Check response**

**Shout for help**


**Open airway**

**Check breathing**

**Call 112**

**30 chest compressions**

**2 rescue breaths**



**Approach safely**

**Check response**

**Shout for help**

**Open airway**

**Check breathing**

**Call 112**

**Attach AED**

**Follow voice prompts**