



Change in the weather and
climate in the world

Changing weather and climate are variations in the Earth's climate as a whole or of its separate regions with the passage of time, resulting in a statistically reliable deviations of parameters of weather from the multiyear averages for the period of time from decades to millions of years. Take into account changes as the average values of weather parameters, and changes in the frequency of extreme weather events. The study of climate change engaged in science paleoclimatology.



Factors of climate changes are caused by changes in the earth's atmosphere, the processes occurring in other parts of the world, such as the oceans, glaciers, as well as the effects associated with human activities. External processes that shape the climate are the changes of the solar radiation and the Earth's orbit.



A satellite view of Earth showing the Americas and surrounding oceans. The text "Change of weather and climate impacts on our planet now!" is overlaid on the image. The word "now!" is in red, while the rest of the text is white.

Change of weather and climate
impacts on our planet **now!**

A large glacier is shown melting into the ocean. The glacier's edge is jagged and uneven, with several icebergs of various sizes floating in the dark blue water. The sky is a clear, bright blue with some light clouds. The overall scene conveys a sense of environmental change and the impact of climate warming.

The glaciers are melting

Increased acidity of the oceans





Or coral reefs will
lose color

The weather is becoming
more severe





The weather is becoming
more severe

Threat to the survival of small island




Affects the livelihood
of local residents



Climate impact of all factors, both natural and anthropogenic, is a single value - radioactive heating of the atmosphere in W/m^2 .

Volcanoes, glaciers, continental drift and drift of the Earth's poles are powerful natural processes affecting the Earth's climate. In the scale of several years volcanoes can play a major role. As a result of the eruption of the volcano Pinatubo in 1991 in the Philippines to a height of 35 km been abandoned so much ash that the average level of solar radiation decreased by $2.5 W/m^2$. However, these changes are not long term, the particles relatively quickly settle down. In the scale of thousands of years determining the climate of the process will be, probably, the slow movement from one of the glacial period to the next.

A photograph of a polar bear and her cub walking on a broken ice floe. The bear is in the foreground, walking towards the right, and the cub is following her. The ice is broken into large, irregular pieces, and the water is visible in the background.

24 October - the international
day dedicated to the climate action.



Thank you for your attention!

