Unit F321

Module 1.2.1 Electron Structure



Define the terms *first ionisation energy* and *successive ionisation energy*;

Explain that ionisation energies are influenced by nuclear charge, electron shielding and the distance of the outermost electron from the nucleus;

predict from successive ionisation energies of an element: (i) the number of electrons in each shell of an atom, (ii) the group of the element;

state the number of electrons that can fill the first four shells;

describe an orbital as a region that can hold up to two electrons, with opposite spins;

describe the shapes of s and p orbitals;

state the number of:

(i) orbitals making up s-, p- and d-sub- shells,

(ii) electrons that occupy s-, p- and d-sub- shells;


describe the relative energies of s-, p- and d- orbitals for the shells 1, 2, 3 and the 4s and 4p orbitals;

deduce the electron configurations of: (i) atoms, given the atomic number, up to Z = 36, (ii) ions, given the atomic number and ionic charge, limited to s and p blocks up to Z = 36;

classify the elements into s, p and d blocks.

Atomic Structure

- Protons, neutrons, electrons
- How to make ions
- Relative atomic mass



| The Periodic Table Of The Elements | | | | | | | | | | | | | | | | | |
|------------------------------------|----------|---------|----------|-----------|--|----------|----------|-----------|-----------|----------|-----------|----------|-----------|-----------|-----------|--|---------|
| Group 1 | 2 | | | | | | | | | | | 3 | 4 | 5 | 6 | 7 | ł |
| 1 + | | | ic mass | | | | | | | | | | | | | | 4 |
| H + | | | ent Syn | | | | | | | | | | | | | | H |
| 1. | | - Atom | ic numb | ber | | | | | | | | | | | | | 2 |
| 7 | 9 | | | | | | | | | | 1 | | 12 | 14 | 16 | 19 | 20 |
| Li | Be | | | | | | | | | | | В | C | N | 0 | F | N |
| 3 | 4 | | | | | | | | | | | 5 | 6 | 7 | 8 | 9 | 10 |
| 23 | 24 | | | | | | | | | | | 27 | 28 | 31 | 32 | 35 | 40 |
| Na | Mg | | | | | | | | | | | AI | Si | P P | S | Cl | Ar |
| 11 | 12 | | | | | | | | | | | 13 | 14 | 15 | 16 | 17 | 18 |
| 39 | 40 | 45 | 48 | 51 | 52 | 55 | 56 | 59 | 59 | 64 | 65 | 70 | 73 | 75 | 79 | 80 | 84 |
| K | Ca | Se | | | $\begin{bmatrix} Cr \\ 24 \end{bmatrix}$ | Mn | Fe | Co | Ni | Cu | Zn | Ga | Ge | As | Se | Br | Kr |
| 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
| 85 Rb | 88 Sr | 89 | 91 | 93 Nil | 96 | 98 | 101 D | 103 Rh | 106 Pd | 108 | 112 Cd | 115 | 119 Sn | 122 Sb | 128 Te | 127 | 131 |
| 37 | 38 | Y 39 | 2r 40 | Nb 41 | Mo 42 | Тс 43 | Ru 44 | 45 | 46 | Ag 47 | 48 | 1n 49 | 50 | 51 | 52 | 53 | X 54 |
| 133 | 137 | 139 | 178 | 181 | 184 | 186 | 190 | 192 | 195 | 197 | 201 | 204 | 207 | 209 | 209 | 1. Sector 200 (200 (200 (200 (200 (200 (200 (200 | 222 |
| Cs | Ba | La | in l | Та | w | Re | Os | | PL | Au | IIg | | Pb | Bi | Po | At | Rn |
| 55 | 56 | 57 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 |
| 223 | 226 | 227 | 261 | | | | | | | | | | | | | | |
| Fr | Ra | Ac | Rf | | | | | | | | | | | | ; | ••••• | |
| 87 | 88 | 89 | 104 | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | 141 | 150 | 144 | 145 | 150 | 152 | 157 | 159 | 163 | 165 | 167 | 169 | 173 | 175 | |
| | | | Ce | Pr | Nd | Pm | Sm | Eu | Gd | Tb | Dy | llo | Er | Tm | Yb | Lu | |
| | | | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | |

N.B. Coloured squares show the elements to learn for lower secondary education.

 \mathbf{Es}

Fm

Mď

No

Lr

Bk

Cf

Cm

The Periodic Table Of The Elements

Th

Pa

υ

Np

Pu

 Λm

Inside an atom

| | Mass / kg | Charge / C | Relative mass | Relative charge |
|----------|---------------------------|---------------------------|------------------|--------------------|
| PROTON | 1.672 x 10 ⁻²⁷ | 1.602 x 10 ⁻¹⁹ | 1 | +1 |
| NEUTRON | 1.675 x 10 ⁻²⁷ | 0 | 1 | 0 |
| ELECTRON | 9.109 x 10 ⁻³¹ | 1.602 x 10 ⁻¹⁹ | 1 2000 | -1 |

- **Atomic number** = no. protons in nucleus
- **Mass number** = no. protons + no. neutrons
- **Ion:** a positively or negatively charged atom or group of atoms


Ionisation Energy

- What is ionisation energy?
- Definitions
 - First ionisation energy
 - Successive ionisation energies
- What affects ionisation energy?

WHAT IS IONISATION ENERGY?

Ionisation Energy is a measure of the amount of energy needed to remove electrons from atoms.

As electrons are negatively charged and protons in the nucleus are positively charged, there will be an attraction between them. The greater the pull of the nucleus, the harder it will be to pull an electron away from an atom.



Attraction between the nucleus and an electron

FIRST IONISATION ENERGY - Definition


The energy required to remove ONE MOLE of electrons from each atom in ONE MOLE of gaseous atoms to form ONE MOLE of gaseous positive ions.

e.g. Na(g) Al(g) Na⁺(g) ,+ e⁻ Al⁺(g) + e⁻

Make sure you write in the <mark>(g)</mark>

WHAT AFFECTS IONISATION ENERGY?


The value of the 1st Ionisation Energy depends on the electronic structure



The value for helium is higher than that for hydrogen because there are now two protons in the nucleus. The nuclear charge is greater so the pull on the outer electrons is larger. More energy will be needed to pull an electron out of the atom.


Ionisation Energy is affected by 3 things:

1. Atomic Radius






1. Nuclear Attraction






1. Electron Shielding






Successive Ionisation Energies

- A measure of the energy required to remove each electron in turn.
- $Mg(g) \square Mg^{+}(g) + e^{-1^{st}} I.E. = +738 \text{ kJ.mol}^{-1}$
- $Mg^+(g) \square Mg^{2+}(g) + e^{-2^{nd}} I.E.= + 1451 kJ.mol^{-1}$
- $Mg^{2+}(g) \square Mg^{3+}(g) + e^{-3^{rd}} I.E.= + 7733 kJ.mol^{-1}$
- $Mg^{3+}(g) \square Mg^{4+}(g) + e_{-} 4^{th} I.E.= + 10541 kJ.mol^{-1}$





Successive Ionisation Energies of Calcium

Draw a graph to show the successive ionisation energies of calcium, using the log₁₀ values


(press log, then the number, then =)


Explain all the main points about the graph that you can see (use **Pg 41** of OCR AS Chemistry to help you)

| Number of electrons removed | Ionisation Energy of Calcium / kJmol ⁻¹ | log ₁₀ IE of Ca |
|-----------------------------------|---|----------------------------|
| 1 | 590 | |
| 2 | 1145 | |
| 3 | 4912 | |
| 4 | 6474 | |
| 5 | 8145 | |
| 6 | 10496 | |
| 7 | 12320 | |
| 8 | 14207 | |
| 9 | 18192 | |
| 10 | 20385 | |
| 11 | 57048 | |
| 12 | 63333 | |
| 13 | 70052 | |
| 14 | 78792 | |
| 15 | 86367 | |
| 16 | 94000 | |
| 17 | 104900 | |
| 18 | 111600 | |

| r | | |
|-----------------------------------|---|----------------------------|
| Number of electrons removed | Ionisation Energy of Calcium / kJmol ⁻¹ | log ₁₀ IE of Ca |
| 1 | 590 | 2.77 |
| 2 | 1145 | 3.06 |
| 3 | 4912 | 3.69 |
| 4 | 6474 | 3.81 |
| 5 | 8145 | 3.91 |
| 6 | 10496 | 4.02 |
| 7 | 12320 | 4.09 |
| 8 | 14207 | 4.15 |
| 9 | 18192 | 4.26 |
| 10 | 20385 | 4.31 |
| 11 | 57048 | 4.76 |
| 12 | 63333 | 4.80 |
| 13 | 70052 | 4.85 |
| 14 | 78792 | 4.90 |
| 15 | 86367 | 4.94 |
| 16 | 94000 | 4.97 |
| 17 | 104900 | 5.02 |
| 18 | 111600 | 5.05 |

Graph to show successive ionisation energies of Calcium





Put these words in order of importance:

- Ionisation energy
- Atom
- Successive ionisation energy
- Ion
- Energy level

