# Karagandy State Medical University Department of foreign languages

### СРСП

Lung abscess

Будущие и будущие в прошлом времена страдательного залога. Сравнение времен действительного и страдательного залогов.

Prepared by: student of 2064-GMF Zhumaghulova F.O. Checked by:Дашкина Т.Г.

Lung abscess

- Lung abscess is a type of <u>liquefactive necrosis</u> of the <u>lung</u> tissue and formation of cavities (more than 2 cm)<sup>[1]</sup> containing necrotic debris or fluid caused by <u>Interestat</u> infection.
- This <u>pus</u>-filled cavity is often caused by aspiration, which may occur during altered consciousness. <u>Alcoholism</u> is the most common condition predisposing to lung abscesses.
- Lung abscess is considered primary (60%<sup>[2]</sup>) when it results from existing lung <u>parenchymal</u> process and is termed secondary when it complicates another process e.g. <u>vascular emboli</u> or follows rupture of <u>extrapulmonary</u>extrapulmonary<u>abscess</u> into lung.

## Lung abscess

- Computed tomography (CT) scan of chest showing bilateral pneumonia with abscesses, offusions, and caverns, 37-year-old male.
- Classification and external resources

Specialty	pulmonology
ICD-10	<u>J85</u>
ICD-9-CM	<u>513.x</u>
<u>DiseasesDB</u>	<u>7607</u>
<u>eMedicine</u>	med/1332
<u>MeSH</u>	D008169

## Signs and symptoms

- Onset of symptoms is often gradual, but in necrotizing <u>staphylococcal</u> or<u>gram-negative</u> <u>bacillary</u> pneumonias patients can be acutely ill. <u>Cough</u>, fever with <u>shivering</u>, and <u>night sweats</u> are often present. Cough can be productive of foul smelling <u>purulent mucus</u> (≈70%) or less frequently <u>with blood</u> in one third cases). Affected individuals may also complain of chest pain, <u>shortness of breath</u>, <u>lethargy</u> and other features of chronic illness.
- Those with a lung abscess are generally <u>cachectic</u> at presentation. Finger <u>clubbing</u> is present in one third of patients. Dental decay is common especially in alcoholics and children. On examination of chest there will be features of consolidation such as localized dullness on <u>percussion</u> and <u>bronchial breath sounds</u>.

## Causes

- Conditions contributing to lung abscessAspiration of <u>oropharyngeal</u> or <u>gastric secretion</u>
- Septic emboli
- Vasculitis: Granulomatosis with polyangiitis
- Necrotizing <u>tumors</u>: 8% to 18% are due to <u>neoplasms</u> across all age groups, higher in older people; primary<u>squamous carcinoma</u> of the lung is the most common.
- OrganismsIn the post-antibiotic era pattern of frequency is changing. In older studies anaerobes were found in up to 90% cases but they are much less frequent now.<sup>[5]</sup>
- Anaerobic bacteria: Actinomyces, Peptostreptococcus, Bacteroides, Fusobacterium s pecies,
- Microaerophilic streptococcus : <u>Streptococcus milleri</u>
- <u>Aerobic</u>
   <u>bacteria</u>: <u>Staphylococcus</u>, <u>Klebsiella</u>, <u>Haemophilus</u>, <u>Pseudomonas</u>, <u>Nocardia</u>, <u>Escherichia coli</u>, <u>Streptococcus</u>, <u>Mycobacteria</u>

## Diagnosis



- Chest X-ray and other imaging studiesLung abscesses are
  often on one side and single involving posterior segments of the
  upper lobes and the apical segments of the lower lobes as
  these areas are gravity dependent when lying down. Presence
  of air-fluid levels implies rupture into the bronchial tree or rarely
  growth of gas forming organism.
- Laboratory studiesRaised inflammatory markers
   (high <u>ESR</u>, <u>CRP</u>) are common but nonspecific. Examination of
   the coughed up mucus is important in any lung infection and
   often reveals mixed bacterial
   flora. <u>Transtracheal</u> or <u>transbronchial</u> (via<u>bronchoscopy</u>)
   aspirates can also be cultured. Fiber optic bronchoscopy is
   often performed to exclude obstructive lesion; it also helps in
   bronchial drainage of pus.

### Действительный залог (Active Voice)

30 залог

### Таблица X Действительный и страдательный залоги

	Зало	or (voice)	
Действитель- ный залог <b>The Active</b> <b>Voice</b> лицо или предмет сами совершают действие		Pete has	I ask I asked I shall ask
	предмет сами совершают	broken the window Петя разбил	Do I ask? Did I ask? Shall I ask?
	окно	I do not ask I did not ask I shall not ask	
ный залог дейсті The Passive являе		The window	I am asked I was asked I shall be asked
	объект действия является подлежащим	has been broken by Pete Окно раз-	Am I asked? Was I asked? Shall I be asked?
	подлежащим	бито Петей	I am not asked I was not asked I shall not be asked

Видо-временные формы страдательного залога				
	Indefinite	Continuous	Perfect	Perfect Continuous
Present	I am sent	I am being sent	I have been sent	-
Past f	I was sent	I was being sent	I had been sent	=
Future	I shall be sent	-	I shall have been sent	-
Future in the Past	I should be sent	-	I should have been sent	-

глаголы 29

#### Future Perfect Continuous Tense in the Past

(Будущее перфектно-длительное время в прошедшем)

Образование утвердительной формы

подлежащее 

настомогательный 
года бит Моницийний 

have 

have 

have 

have 

have 

BIII форме

#### Образование вопросительной формы

вспомогательный глагол should/would + подлежащее + have + основной глагол в III форме

Образование отрицательной формы



Утвердительная форма Affirmative Form	Вопросительная форма Interrogative Form	Отрицательная форма Negative Form
I should/would have done	Should/would I have done?	I should/would not have done
You would have done	Would you have done?	You would not have done
He (she, it) would have done	Would he (she, it) have done?	He (she, it) would not have done
We should/would have done	Should we have done?	We should/would not have done
They would have done	Would they have done?	They would not have done

# Examples

- 1.Lung abscess was developed by various factors.
- 2. Fever is came by lung abscess.
- 3.Pus is affected lungs.

# **Examples**

• .