


A photograph showing two rabbits behind a wire mesh fence. The rabbits are white with brown ears. In the foreground, two clear plastic water bottles are attached to the fence. The bottle on the left is partially filled with water and has a red base. The bottle on the right is also partially filled with water and has a red base. The background shows a wooden fence and some green grass.

КОРМЛЕНИЕ КРОЛИКОВ

Корма, используемые
в кролиководстве,
классифицируют на
зелёные, сочные,
грубые и
концентрируемые.



Зелёные корма



КЛЕВЕР



ГОРОХ



БОБЫ



КУКУРУЗА



ОВЁС



ТИМОФЕЕВКА

Зелёные корма лучше

всего скармливать

кроликам до цветения.

После цветения травы

грубеют и эффективность их

использования для

кормления значительно

снижается.

Сочные корма



КОРНЕПЛОДЫ



КЛУБНЕПЛОДЫ



**ПЛОДЫ
баштанных
культур**



СИЛОС



СЕНАЖ


**На сочные корма приходится
до 15% рациона кроликов.**

**Они легко и почти что
полностью усваиваются**

**кроликами и использование
сочных кормов в зимний**

период максимально

**приближает зимнее кормление
к летнему.**



ГРУБЫЕ КОРМА



СОЛОМА




СЕНО



ВЕТОЧНЫЙ
КОРМ


Основным грубым кормом для кроликов является сено. Лучшим сеном является сено, заготовленное из бобовых трав. Оно богато на протеины, витамины и минеральные вещества.



КОНЦЕНТРИРОВАННЫЕ КОРМА



Основной вид корма для кроликов.
Удельный вес в общем расходе кормов
составляет 70 % общей
питательности всех кормов.



**Из зерновых лучше
использовать для
кормления пшеницу,
ячмень, овёс, кукурузу
богатые углеводами.**

**СПАСИБО ЗА
ВНИМАНИЕ!**

