


A photograph showing two rabbits behind a wire mesh fence. The rabbits are white with brown ears. In front of them are two clear plastic water bottles with red bases, which are inverted and used as water dispensers. The bottles are placed on a wooden surface. The ground is covered with dry straw and some green grass. The text 'КОРМЛЕНИЕ КРОЛИКОВ' is overlaid in large, bold, black letters across the center of the image.

КОРМЛЕНИЕ КРОЛИКОВ

Корма, используемые
в кролиководстве,
классифицируют на
зелёные, сочные,
грубые и
концентрируемые.



Зелёные корма



КЛЕВЕР



ГОРОХ



БОБЫ



КУКУРУЗА



ОВЁС



ТИМОФЕЕВКА

Зелёные корма лучше

всего скармливать

кроликам до цветения.

После цветения травы

грубеют и эффективность их

использования для

кормления значительно

снижается.

Сочные корма



КОРНЕПЛОДЫ



КЛУБНЕПЛОДЫ



**ПЛОДЫ
баштанных
культур**



СИЛОС



СЕНАЖ


На сочные корма приходится до 15% рациона кроликов.

Они легко и почти что полностью усваиваются

кроликами и использование сочных кормов в зимний

период максимально

приближает зимнее кормление к летнему.



ГРУБЫЕ КОРМА



СОЛОМА




СЕНО



ВЕТОЧНЫЙ
КОРМ

Основным грубым кормом для кроликов является сено. Лучшим сеном является сено, заготовленное из бобовых трав. Оно богато на протеины, витамины и минеральные вещества.



КОНЦЕНТРИРОВАННЫЕ КОРМА



Основной вид корма для кроликов.
Удельный вес в общем расходе кормов
составляет 70 % общей
питательности всех кормов.

Из зерновых лучше
использовать для
кормления пшеницу,
ячмень, овёс, кукурузу
богатые углеводами.



**СПАСИБО ЗА
ВНИМАНИЕ!**

