CSS3 BEST PRACTICES

Thursday, October 6, 2016



©2016 CODE

HOW ARE DEVELOPED THE NEW STANDARDS OF CSS?

W3C negotiation stages:

- Draft
- Working Draft
- Last Call
- Candidate Recommendation
- Proposed Recommendation
- Recommendation



WHAT IS THE DIFFERENCE BETWEEN CSS2 AND CSS3?



COLOR MODULE LEVEL 3

- <u>rgba();</u>
- <u>currentColor;</u>
- transparent = rgba(0, 0, 0, 0);



SELECTORS LEVEL 3

- Basic selectors (elname, .class, #id, [attr=value], *);
- Combinators:

 <u>A B</u> (Descendant selectors)
 <u>A > B</u> (Child selectors)
 <u>A + B</u> (Adjacent sibling selectors)
 <u>A ~ B</u> (General sibling selectors)

 Decude classes (compty first of type in
- Pseudo-classes (<u>:empty</u>, <u>:first-of-type</u>, <u>:not</u>, <u>:only-child</u>, <u>:nth-child(n)</u>, <u>:nth-child(an+b)</u>, <u>:nth-last-child(an+b)</u>);
- Pseudo-elements (<u>:first-line</u>, <u>:before</u>, <u>:after</u>);



CONDITIONAL RULES MODULE LEVEL 3

- <u>@media;</u>
- <u>@support;</u>
- How to determine user browser via CSS?



VALUES AND UNITS MODULE LEVEL 3

- <u>initial</u> and <u>inherit;</u>
- Viewport units <u>vw</u>, <u>vh</u>, vmax, and <u>vmin</u>;
- <u>calc();</u>
- <u>attr();</u>



THANK YOU FOR ATTENTION!

