


User name – cpeadmin

Password - cpeadmin



A screenshot of a Windows-style login dialog box. The title bar is blue and contains the text "Login" and a close button (X). The dialog has a light gray background. It contains two input fields: "User name:" with the text "cpeadmin" and "Password:" with a masked password represented by asterisks. At the bottom, there are two buttons: "OK" and "Cancel".

User name:	cpeadmin
Password:	*****

OK Cancel

Network Settings

- Network Settings
- Ntp Config
- Ftp Server

Check box Network Settings Profile > Insert

The screenshot displays the CPE Management application interface. On the left, a tree view shows the 'Network Settings' folder expanded, with 'Network Settings Profile' selected. The main window shows a table for 'Network Settings Profile' with columns: Name, Subnet Mask, Default Gateway, and Bootfile Name (not for Titans). The table is currently empty. A 'Network Settings Profile - Insert' dialog box is open, containing input fields for Name, Subnet Mask, Default Gateway, and Bootfile Name (not for Titans). Below these fields are sections for 'Ntp Config' and 'Ftp Server (not for Titans)', each with icons for search, refresh, and delete. At the bottom of the dialog are 'OK' and 'Cancel' buttons. The main window also has 'Insert', 'Modify', and 'Delete' buttons at the bottom. A status bar at the bottom shows a log of messages: '05:17:07 No records found.', '05:43:13 No records found.', '05:43:13 No records found.', and '05:50:23 No records found.'

CPE Management

File Actions Help

CPE

- Device Settings
 - Device
 - Device Status
 - Port Profile
 - Service Profile
 - QoS Group
 - Ldap Server
 - Terminal Type
- Interface Profile
- Line Profile
- Audio Profile
- Network Settings
 - Network Settings Profile
 - Ntp Config
 - Ftp Server
- FXO Profile
- MN Settings
- SMG User

Network Settings Profile

Name	Subnet Mask	Default Gateway	Bootfile Name (not for Titans)
------	-------------	-----------------	--------------------------------

Network Settings Profile - Insert

Name:

Subnet Mask:

Default Gateway:

Bootfile Name (not for Titans):

Ntp Config:

Ftp Server (not for Titans):

Row:



OK Cancel Show search form

Device Settings Network Settings

Insert Modify Delete


05:17:07 No records found.
05:43:13 No records found.
05:43:13 No records found.
05:50:23 No records found.

Network Settings Profile - Modify [X]

Name	<input type="text" value="My network profile"/>
Subnet Mask	<input type="text" value="255.255.255.192"/>
Default Gateway	<input type="text" value="010.013.006.067"/>
Bootfile Name (not for Titans)	<input type="text" value="bootrom.ld"/>
Ntp Config	
Ftp Server (not for Titans)	

Audio Profile

- Audio Profile >Insert
- Codec List
- Tones



CPE Management

File Actions Help

CPE

Codecs Tones Codec List Audio Profile

Tones

Name	Default Tone ...	Number of Re...	Tone Signal
Def Dial	Dial	0	Tone Signal
Def Alert	Alert	0	Tone Signal
Def Busy	Busy	0	Tone Signal
Def Congestion	Congestion	0	Tone Signal
Def SIT	Special infor...	0	Tone Signal
Def Howler	Howler	0	Tone Signal
Def Beep	Beep	0	Tone Signal
Def SBT	Special busy t...	0	Tone Signal
Def SDT	Special dial t...	0	Tone Signal
Def CT	Confirmation ...	0	Tone Signal
Def RT	Rejection tone	0	Tone Signal

Row 1/11 11 Selected

Show search form

Insert OK Cancel

Tone Generati... Bearer Capab... Codec List Tone

Adaptive Speech Codec List Tone

My Audio Profile

Adaptive

Speech

Add... View... Remove

OK Cancel




Search form

Audio Profile - Insert [X]




Name

Tone Generation





Bearer Capability

Codec List **Def Audio Mode**   

Tone


Def Dial	  
Def Alert	
Def Busy	
Def Congestion	
Def SIT	
Def Howler	

•Codec List > Insert



Audio Profile > Modify > My audio profile

Codec List > My codec list



Line Profile

- Line Profile
- Ring Mode
- Analog Line

Interface Profile

- Interface Profile
- Signalling Profile
- Q931 Timers
- H.323
- Gateway
- Gatekeeper

- Gateway >
Insert

The screenshot shows the 'CPE Management' application window. The main window has a menu bar with 'File', 'Actions', and 'Help'. Below the menu bar is a toolbar with icons for file operations. The left sidebar shows a tree view under 'CPE' with several categories, including 'Interface Profile' which is expanded to show sub-items like 'Interface Profile', 'Q.931 Timers', 'H.323 Profile', 'Gateway', and 'Gatekeeper'. The 'Gateway' item is selected. The main area of the window has tabs for 'Interface Profile', 'Q.931 Timers', 'H.323 Profile', and 'Gateway'. The 'Gateway' tab is active, displaying a table with two columns: 'Host Name' and 'Port'. The table contains one row with the values '10.13.6.95' and '1720'. An 'Insert' dialog box is open over the table, titled 'Gateway - Insert'. It has two input fields: 'Host Name' with the value '010.013.006.095' and 'Port' with the value '1720'. At the bottom of the dialog are 'OK' and 'Cancel' buttons. At the bottom of the main window, there is a status bar showing 'Row 0/1 0 Selected' and a 'Show search form' button.

Host Name	Port
10.13.6.95	1720

Gateway - Insert

Host Name: 010.013.006.095

Port: 1720

OK Cancel

Row 0/1 0 Selected

Show search form

- H.323 Profile > Insert

The screenshot displays the CPE Management application interface. The main window is titled "H.323 Profile - Insert". The left sidebar shows a tree view under "CPE" with "Interface Profile" selected, and "H.323 Profile" highlighted. The main configuration area includes:

- Name:** My H.323 profile
- Faststart (not for Titans)
- Gatekeeper section:**
 - Gatekeeper
 - Alternative Gatekeeper
 - Retransmission Timer (s): 30
 - Number of Retransmissions: 5
 - Time to Live (s): 30
 - Register As Gateway
 - H.235 Security (not for Tita...)
 - Time Window (s): 10
- Gateway section:**
 - Gateway
 - Alternative Gateway

An inset window titled "Gateway" is open, showing a table with two rows of gateway information:

Host Name	Port
10.13.6.95	1720
10.13.6.95	1720

At the bottom of the Gateway window, it indicates "Row 2/2 1 Selected" and has an "Insert" button. The main window has "OK" and "Cancel" buttons at the bottom.

H.323 Profile - Insert



Name

My H.323 profile

Faststart (not for Titans)

Gatekeeper

Gatekeeper



Alternative Gatekeeper



Retransmission
Timer (s)

30

Number of
Retransmissions

5

Time to Live (s)

30

Register As Gateway

H.235 Security (not for Tita...

Time Window (s)

10

Gateway

Gateway

10.13.6.95



Alternative Gateway



OK




Cancel




•Interface Profile >

Interface Profile - Insert

Name: My Interface Profile

DSS1 Tunneling (not for Titan...)

Q.931 Timer Group:   

H.323 Profile:   

OK Cancel

Q.931 Timers

Variant Name	T301	T303
Def Q931 Timer	180	4

H.323 Profile

Name	Faststa...	Retransmissi...N
h.323	true	30
h.323 new	false	30
My H.323 profile	true	30

Row 0/3 0 Selected

Interface Profile - Insert

Name: My Interface Profile


DSS1 Tunneling (not for Titan...)

Q.931 Timer Group: Def Q931 Timer   

H.323 Profile: My H.323 profile   

OK Cancel

Check box Device Settings->Device->Insert



Device - Insert X

Device **Registration**

Name

Ethernet Address

PIN

Image Name

Device Type TA102

IP Address

Admin Password

Network Settings Profile

Service Profile

Interface Profile

External Line Profile

Port Profile

Device - Insert [X]

Device | **Registration**

Name My TA-104

Ethernet Address 00-D0-50-20-05-74




PIN




Image Name ta6013.Id




Device Type TA102




IP Address 010.013.006.090

Admin Password

Network Settings Profile My network profile   

Service Profile Def Overlap   

Interface Profile My Interface ...   

External Line Profile   
External Line Profile

Port Profile

Dialing Numbering Analog Ports of TA-104

Port Profile - Insert

Directory Number: 3109501

Port Number: Line 1

Equipment: Equipped

Terminal Type: Def Terminal ...

OK Cancel

Port Profile - Insert

Directory Number: 3109502

Port Number: Line 2

Equipment: Equipped

Terminal Type: Def Terminal ...

OK Cancel

Port Profile - Insert

Directory Number: 3109503

Port Number: Line 3

Equipment: Equipped

Terminal Type: Def Terminal ...

OK Cancel

Port Profile - Insert

Directory Number: 3109504

Port Number: Line 4

Equipment: Equipped

Terminal Type: Def Terminal ...

OK Cancel

Final configuring TA-104

Device - Insert

Device Registration

Name: My TA-104

Ethernet Address: 00-D0-50-20-05-74

PIN:

Image Name: ta6012.ld

Device Type: TA104

IP Address: 010.013.006.090

Admin Password:

Network Settings Profile: My network profile

Service Profile: Def Overlap

Interface Profile: My interface ...

External Line Profile:

Port Profile:

- Line 1; 3109501
- Line 2; 3109502
- Line 3; 3109503
- Line 4; 3109504

Insert...

Modify...

Delete

OK Cancel